



# Textile Industry



## Blowing-Carding



Jingwei(Zhengzhou)	Trützschler	Rieter	Saurer	Crosrol	D5M-500	D8M-1600	390H	8M-448	V-belt for beater of plucker AX51-2 RIBS		
MM6-0424A	037181235288	923610110115	10206012	10486185	Flat lattice: FA025-0737	BM65193/1	D5M-1050	D8M-1760	420H	8M-600	Timing belts for beater of plucker D8M-2360-30MM
MM6-0426A	037181271307	923610110117	10334832	10812904	Inclined lattice: FA025-0853	BM65193/2	D5M-1125	D8M-1936	430H	8M-992	Rieter S5M-750
FA028-160-0402	037181271346	923610110132	10485602	10839578	...	BM65193/3	D5M-1595	D8M-2000	465H	8M-1216	LawnMaster-3L-930
FA028-160-0404	909710228001	996310681030	10485679	10949296		BM65193/4	D8M-752	D8M-2400	630H	8M-1912	LawnMaster-3L-1330
FA028B-160-0401	923607110111	...	10485865	...		~BM65193/26	D8M-1168	D8M-2600	1250H	8M-2000	...
FA028B-120-0401	...		10486182			...	D8M-1440	...	...	...	...



Original	Type	Thickness	Width
Rieter	Pulling	3.2	Ultra-thin type 215
Baitian		3.2	Ultra-thin type 274
Jingwei(Zhengzhou)	Take-up	4.2	Standard type 380
Jingwei(Qingdao)			350
Saurer			380
Crosrol / Rifa		350	
Jingwei		4.5	1000Mpa 365
Trützschler		3.2	Ultra-thin type 380
Rieter		NO: 10847239、10948353、10847263	395

### Carding apron

Original	Color	Thickness
Rieter		1.1
		1.4
Saurer		1.1
Jingwei(Zhengzhou)		1.1
Crosrol / Rifa		1.1
Jingwei(Qingdao)		1.1
		1.1
Trützschler		1.1

### Flat belt

Model	Part no.	Color	Character
High speed frequency conversion startup	GG-E10/20BKT		High conductive High performance belt
Star-delta startup	GG-18/23		PA Fabric belts

Trützschler
35081755828
35081755829
35081755830
35081755801
35081755836
35081755800
35081755840
35081755810
35081755811



## Drawing-Coming




drawing frame	model	Color	Original
quick splice belt	GG-E10/20HT		Rieter
	GG-E10/20BKT		Trützschler
classic flat belt	GG-24		

<b>Ribbed V-Belt</b>	PJ 762 , PJ838 , PJ1016 , PJ1054 , PJ1245 , PJ1397 , PJ1549 , PJ1753 , PJ2337...
<b>Timing Belt</b>	DS5M-435 , DS5M-1350
<b>Special V- Belt</b>	LawnMaster-3L-700 , LawnMaster-3L-790

Combing apron	Color	Character
GG-02FF/GY		overlap joint
GUG-E5M		finger joint

Can conveyor	Color	Original
035081755814		Trützschler


## Ring Spinning-Winding




Ring-spinning Machine	Sort	Character/Size	Color	Thickness
Zinser	Tangential belt	Z-splice, high conductivity		2.0
Tonghe, BEST No.2 Textile Machinery	Spindle tape	Finger joint		0.7
		Finger joint		0.7
		Overlap joint		0.6
Jingwei, BEST, Tonghe	Motor Drive Belt	for around 500 spindles	GG-30T	3.0
		for more than 1000 spindles	GG-30T/34BL	3.4
			GG-33/34BL	3.4
			8M Aramid 1064-85mm 8M Aramid 1104-85mm ...	
		14M-1120-130mm 14M-1288-130mm 14M-1316-130mm ...		

Bobbin Stripper Machine	Part no./Size			
Zinser	ZN-1-400.00.3027 , ZN-6-395.52.0043 , ZN-6-395.50.0077			
HM	2750×310mm、2700×460mm			
Kairui	2790×318mm、3570×318mm			
Tonghe	2800×235mm、2752×460mm			
BEST, Jingwei	2425×212mm、2765×212mm、2360×445mm			
SAVIO Bobbin Conveyor Belt Part No.	SAVIO Winding branch Belt Part No.	Belt For Grippers	Part No./Size	Color
4025.1449.67.0	4025.1490.30/0	Jingwei	2777x40mm	
4025.1449.71.0	4025.1490.31/0	Kaiye(Jiangyin)	2890x40mm	
4025.1449.80.0	4025.1490.34/0	Sobone	3990x40mm	
4025.1449.81.0	4025.1490.37/0		3445x45mm	
4025.1449.82.0	4025.1490.38/0	<b>Groove Drum Belt</b>		<b>Color</b>
4025.1472.71.0	4025.1490.39/0	Seamless belt 444x20mm		
4025.1478.26.0	4025.1490.40/0	GU-E5M 444x20mm		
...	...	R-6x424mm , 442mm		

## OE Spinning



Wool shaker belt  
EW3-E12/50



Original	Timing belt model
Saurer	EL48008 8MGT-1000-36 POLYCHAIN
	EL48076 8MGT-1440-30 POLYCHAIN
	EL48077 GT5MR-900-35

Belt type	Thickness	Color	Material	Characteristic and reference
GG-24	2.3		Classic belt	High conductivity Low breakage rate
GGOE30	2.3		Classic belt	
GGOE30/GSR	2.6		Classic belt	
GG-E17/26BK	2.6		Classic belt	
GG-E17/26HT	2.6		Classic belt	

Belt type	Thickness	Color	Width	Original
TTU0-E20/18	1.8		150/300	Rifa, Taitan, Saurer, Rieter
TTU0-E15BL	1.3		150	Rieter
EUT-E20LBM1	1.8		150	Rifa

## Texturing-Twisting



Texturing Machine	Belt type	Thickness	Color	Original
Tangential belt	GG-33	3.1		BARMAG Hongyuan Yuejian Jinggong HORNOR
	GG-33/34BL	3.4		
	GG-36/40BL	3.8		
	GG-A50/35	3.5		
	GG-E25/32DHR	3.2		

Texturing Machine Belt	Model
Seamless tangential belt	FL4525
	3M-171-6mm
	3M-285-6mm
SprindleTiming belt	5M-375-9mm
	SPZ 2087
V-Belt	SPZ 2037

TFO Twister Machine	Belt type	Thickness	Color	Original
Long Fibres	GG-24	2.3		Saurer Imagin(jiangsu) Rifa
	GG-E12/24HT	2.4		
	GG-E17/26HT	2.6		
Short Fibres	GG-E18/30DHR	3.0		Taitan Dongxing(Zhejiang) Wanli(Zhejiang)
	GG-E25/34DHR	3.4		
	GG-30T/34BL	3.4		

## Loom

Machine type	Air-jet Loom		Water-jet Loom
V-belt & Timing belt Model	3VX560	5M-540-20	3VX425/5R
	3VX560/6R	5M-770-20	3VX450/5R
	3VX600	14M-1456-50	3VX475/5R
	3VX600/6R	14M-1400-60	3VX500/5R
	3VX630	14M-1470-60	3VX530/5R
	3VX630/6R	14M-1512-60	Z24
		14M-1540-80	Z33
		8YU-1312-60	Z47
Original	Rifa(Shandong)		Z1060



Service telephone number in China: 4001806599、021-62216599

Asia Pacific: Richard@highten.net Sally@highten.net

Elin@highten.net David@highten.net



Wechat  
Highten\_China



中国纺机协会理事单位  
The governing unit of the China  
Textile Machinery Association

